


3M™ Bumpon™ Resilient Rollstock SJ5916 Black A20FL, 114 mm x 33 m, 1 per case



Standard | **In Stock**

- Plasticiser free with a urethane composition
- Apply easily due to 3M™ pressure sensitive adhesives
- Offers high skid-resistance
- Won't scratch or stain surfaces.
- Reduces vibration and noise
- Rollstock format is excellent for die-cut shapes with various thickness requirements
- Won't crack or harden

Specifications

* Smallest Saleable Unit ?

Details

Adhesive Type	Acrylic (A20)
Applications	Dampen Noise/Reduce Vibration Gasketing Surface Protection for Sub-Assembly Racks Cushioning Stop Die Cut Parts for Drink Holder Cushioning Spacer
Availability	Stocked
Backing Material	Polyurethane foam

Brand	Bumpon™
Factory ISO Certification	No ISO Certification information available
Hardness	40 Shore M
Height-Thickness Range (metric)	1.0 - 1.9 mm
Overall Length (Metric)	32.91 m
Overall Thickness (Metric)	1.6 mm
Overall Width (Metric)	11.43 cm
Primary Liner	Translucent Polyester Film
Product Color	Black
Product Form	Rollstock
Product Type	Rollstock
Roll Width (metric)	114 mm
Shape	Rollstock
Shelf Life	545 Days
Smallest Saleable Unit*	Case
Width-Diameter Range (metric)	100.0 - 199.9 mm

Dimensions and Classifications

Case Gross Weight*	5.288 Kilogram
Case Height*	13 Centimeter
Case Length*	34 Centimeter
Case Volume*	15,028 Cubic centimeter
Case Width*	34 Centimeter
Pallet Gross Weight	397 Kilogram
Pallet Height	1.17 Meter
Pallet Length	1.22 Meter
Pallet Volume	1.527 Cubic meter
Pallet Width	1.07 Meter
Roll Gross Weight	5.288 Kilogram
Roll Volume	15,028 Cubic centimeter
ECCN Number	
Harmonizing code	3919108090

Packaging and Identifications

Country of Origin	United States
Country of Origin Disclaimer	This is to advise you that as of this date, the Country of Origin for the product(s) displayed is as

follows. This origin is for purposes of Normal Trade Relations (NTR) duty treatment, is for import/export documentation only, and is not intended to be used for any other purpose such as sales to government entities or Free Trade Agreement eligibility. Government procurement laws and Free Trade Agreements require application of specific criteria that may result in a different Country of Origin than indicated. These determinations are specific to 3M ID.

EAN/GTIN - Billing (Roll)	00051115528057
EAN/GTIN – Shipper (Case)*	50051115528052
Primary Shipping Location	JUECHEN, Nordrhein-Westfalen
Primary Shipping Location Disclaimer	The Primary Shipping Location may not be the final source of the product
per Case*	1 Roll
per Pallet	72 Roll

Transportation

Air Shipping Available	Yes
Dry Ice Shipping Required	No

Details

- Plasticiser free with a urethane composition
- Apply easily due to 3M™ pressure sensitive adhesives
- Offers high skid-resistance
- Won't scratch or stain surfaces.
- Reduces vibration and noise
- Rollstock format is excellent for die-cut shapes with various thickness requirements
- Won't crack or harden

3M™ Bumpon™ Resilient Rollstock SJ5916 is a self-adhesive rubber bumper designed to be used as feet, stops and spacers. The rollstock format is excellent for die-cut shapes with various thickness requirements. Black, 114 mm wide x 33 m long.

Prevent delicate products from being scuffed, nicked and scratched with 3M™ Bumpon™ Resilient Rollstock Products. Featuring a plasticiser free, urethane composition and 3M pressure sensitive adhesive for easy application, these Bumpon rubber feet offer a wide range of functionalities, and are ideal for die-cut shapes with various thickness requirements. Featuring high skid resistance and protection against vibration and noise, Bumpon won't crack or harden, and is a key feature for small appliances, desktop or handheld electronic devices, electronic cabinetry, telephones, keyboards, foot pedals, scales, clocks, speakers, dispensers, and computers. Bumpon can be used as stops for cabinet doors, lids, and drawers, as spacers for picture frames, as protectors to prevent damage during deliveries, and to keep parts from direct contact with each other.

Resources

Data Sheets

[3M™ Bumpon™ Protective Products Resilient Rollstock, Opaque](#) (PDF,276.8KB)

Product Selection Guides

[3M™ Bumpon™ Protective Products Resilient Rollstock product selection guide](#) (PDF,615.9KB)