

3M™ Removable Label Materials FM01860N, Transparant, 686 mm x 508 m



-
- Allows for clean label removal without adhesive residue remaining on the substrates
 - Full range of facestocks includes paper, vinyl, polyester, polypropylene (PP) and polystyrene
 - Wide range of removable acrylic adhesives for indoor and outdoor applications
 - Topcoated and non-topcoated materials allowing print flexibility
 - Can be used for protective and masking applications in addition to identification
 - Static cling versions are available
 - Bar code tracking
 - Track and trace
 - Thermal transfer labels for variable information printing
 - Brand and instruction labels
 - Temporary point of purchase labelling
 - Pre-mask applications
 - Durable removable/outdoor decals
 - Surface protection and masking
 - Over laminate
 - Digital window graphics
 - 3M™ High Stability Acrylic Adhesive 500 is our highest adhesion adhesive available on vinyl and polyester label stocks. Removes cleanly from most surfaces up to one year after application, ideal

for outdoor applications.

- 3M™ Removable Adhesive R3500 for use on smooth surfaces such as glass, metal, and plastic (including polystyrene). It provides good initial tack and long-term adhesion and removes without residue.
- 3M™ Ultra Removable Adhesive R3800 is a lower tack version of R3500, and is sold as a static cling alternative
- 3M™ Repositionable Acrylic Adhesive 1000 is our lowest adhesion adhesive that delivers good holding power and clean removability on many surfaces. This adhesive can be laminated to various substrates to make them repositionable.

Specifications

* Smallest Saleable Unit ?

Details

Brand	3M™
Product Color	Transparent
Smallest Saleable Unit*	Case

Dimensions and Classifications

Case Gross Weight*	49.4 Kilogram
Case Height*	370 Millimeter
Case Length*	710 Millimeter
Case Volume*	94.572 Cubic decimeter
Case Width*	360 Millimeter
ECCN Number	
Harmonizing code	3919908099

Packaging and Identifications

Country of Origin	United States
Country of Origin Disclaimer	This is to advise you that as of this date, the Country of Origin for the product(s) displayed is as follows. This origin is for purposes of Normal Trade Relations (NTR) duty treatment, is for import/export documentation only, and is not intended to be used for any other purpose such as sales to government entities or Free Trade Agreement eligibility. Government procurement laws and Free Trade Agreements require application of specific criteria that may result in a

different Country of Origin than indicated. These determinations are specific to 3M ID.

EAN/GTIN – Shipper (Case)*	04054596834651
Primary Shipping Location Disclaimer	The Primary Shipping Location may not be the final source of the product
per Case*	1 Roll

Transportation

Air Shipping Available	Yes
Dry Ice Shipping Required	No

Details

- Allows for clean label removal without adhesive residue remaining on the substrates
- Full range of facestocks includes paper, vinyl, polyester, polypropylene (PP) and polystyrene
- Wide range of removable acrylic adhesives for indoor and outdoor applications
- Topcoated and non-topcoated materials allowing print flexibility
- Can be used for protective and masking applications in addition to identification
- Static cling versions are available

3M™ Removable Label Materials are available for a wide range of labeling, printing and production challenges. Coated and uncoated facestocks include paper, vinyl, polypropylene (PP) and polyester to accept a wide variety of ink systems. Adhesives are formulated to provide a variety of adhesion levels while still being removable.

Removable Label Materials for a Very Broad Range of Applications

Designed to meet a vast array of needs in labeling, printing and processing, our 3M™ Removable Label Materials deliver varied ranges of strength, stability, adhesion and removability. These materials are available in facestocks including paper, vinyl, polyester, polypropylene (PP) and polystyrene for reliable performance during laminating or die-cutting. They feature our specially formulated acrylic adhesives, which include 3M™ Removable Adhesive 500 for stable, clean removal even during long-term outdoor applications. 3M™ Removable Adhesive R3500 is for use on smooth surfaces such as glass and plastics. Available coated in gloss or matte, uncoated, clear or in opaque white for a wide range of printing options including screen, flexographic, thermal transfer and digital printing. Liners provide added versatility during processing such as die cutting, laminating and kiss cutting. All materials are designed for reliable adhesion and clean removal with no residue.

Recommended Applications

- Bar code tracking
- Track and trace
- Thermal transfer labels for variable information printing
- Brand and instruction labels
- Temporary point of purchase labelling

- Pre-mask applications
- Durable removable/outdoor decals
- Surface protection and masking
- Over laminate
- Digital window graphics

About 3M Removable Label Adhesives

3M™ Removable Label Materials feature a range of our specially-formulated adhesives for just the right balance of adhesion and removability. Adhesives include:

- 3M™ High Stability Acrylic Adhesive 500 is our highest adhesion adhesive available on vinyl and polyester label stocks. Removes cleanly from most surfaces up to one year after application, ideal for outdoor applications.
- 3M™ Removable Adhesive R3500 for use on smooth surfaces such as glass, metal, and plastic (including polystyrene). It provides good initial tack and long-term adhesion and removes without residue.
- 3M™ Ultra Removable Adhesive R3800 is a lower tack version of R3500, and is sold as a static cling alternative
- 3M™ Repositionable Acrylic Adhesive 1000 is our lowest adhesion adhesive that delivers good holding power and clean removability on many surfaces. This adhesive can be laminated to various substrates to make them repositionable.

Bringing Better Ideas to the Surface through Science

3M is the Premier Durable Label solution provider globally in the Industry today. 3M materials and services will enable you and your customers to present the best images, products, and quality as we solve marketplace solutions from design to production. We do this by partnering with industry leaders to deliver the best possible technology for innovative solutions regardless of your print method, substrates, and ink systems.

Talk with a 3M expert about your exact needs, including CSA compliance, and how our performance label materials can be combined and converted into the precise size and shape you need.